



<b>MATERIAL</b>	
<b>Project ID:</b>	New Single Family Residence
<b>Location:</b>	***** California
<b>Scope:</b>	Lumber Breakdown
<b>Date:</b>	January 08, 2025

## 1 - Lumber Grades

### Conclusions

I called for the following lumber grades: Joists/Rafters: DF #2 & DF#1  
 Plate: DF #2  
 Studs: DF #2 2x4 & DF #2 2x6 Misc.: DF #1 & DF #2  
 I called all non-treated lumber as "Dry"

## 2 - Sheathing

### Items to Reference

Page S1 calls for 1/2 plywood wall sheathing. Page S3 calls for 1-1/8" Warmboard Floor Plywood Sheathing, Page S5 calls for 5/8 CDX roof sheathing.

## 2 - Ledger, Blocking/ Stringer

### Items to Reference

Page S2 to S6 calls for 2x & 2x8 Structural Ledger wall on Wall Page S6 calls for 1-3/4" LVL Structural Blocking.

### Conclusions

I called for the following Blocking, Ledger & Stringer

Item #	Item Description	Unit (EA)	Quantity	Unit (LF) / (SF)	Quantity
	<b>Wall Framing</b>				
	<b>Basement</b>				
	<b>(4" Thick) Interior Wall</b>				
1	(20'-0" L) (2"x4") Top & Bottom Wood Plate	EA	3	LF	60
2	(9'-1" H) (2"x4") Wooden Stud @ 16" O.C <b>(182 SF)</b>	EA	16	LF	146
	<b>(6" Thick) Exterior Wall</b>				
3	(20'-0" L) (2"x6") Top & Bottom Wood Plate	EA	14	LF	280
4	(9'-1" H) (2"x6") Wooden Stud @ 16" O.C <b>(450 SF)</b>	EA	68	LF	340
5	(8'-0"x4'-0") (1/2" Thick) Exterior Plywood Sheathing	EA	15	SF	480
	<b>Main Floor</b>				
	<b>(6" Thick) Exterior Wall</b>				
6	(20'-0" L) (2"x6") Top & Bottom Wood Plate	EA	54	LF	1080
7	(9'-1" H) (2"x6") Wooden Stud @ 16" O.C (545 SF)	EA	45	LF	413
8	(9'-5" H) (2"x6") Wooden Stud @ 16" O.C <b>(236 SF)</b>	EA	19	LF	179
9	(11'-0" H) (2"x6") Wooden Stud @ 16" O.C <b>(528 SF)</b>	EA	36	LF	396
10	(11'-7" H) (2"x6") Wooden Stud @ 16" O.C <b>(371 SF)</b>	EA	24	LF	278
11	(12'-0" H) (2"x6") Wooden Stud @ 16" O.C <b>(264 SF)</b>	EA	17	LF	205
12	(14'-2" H) (2"x6") Wooden Stud @ 16" O.C <b>(1218 SF)</b>	EA	65	LF	921
13	(13'-2" H) (2"x6") Wooden Stud @ 16" O.C <b>(698 SF)</b>	EA	40	LF	658
14	(16'- 7 5/16" H) (2"x6") Wooden Stud @ 16" O.C <b>(500 SF)</b>	EA	24	LF	401
15	(8'-0"x4'-0") (1/2" Thick) Exterior Plywood Sheathing	EA	137	SF	4384
	<b>(4" Thick) Interior Wall</b>				
16	(20'-0" L) (2"x4") Top & Bottom Wood Plate	EA	31	LF	620
17	(4'-9" H) (2"x4") Wooden Stud @ 16" O.C <b>(105 SF)</b>	EA	22	LF	81
18	(9'-1" H) (2"x4") Wooden Stud @ 16" O.C <b>(545 SF)</b>	EA	60	LF	418
19	(12'-5" H) (2"x4") Wooden Stud @ 16" O.C <b>(125 SF)</b>	EA	10	LF	100
20	(15'-3" H) (2"x4") Wooden Stud @ 16" O.C <b>(1724 SF)</b>	EA	113	LF	1297

Item #	Item Description	Unit (EA)	Quantity	Unit (LF) / (SF)	Quantity
	<b>(6" Thick) Interior Wall</b>				
21	(20'-0" L) (2"x6") Top & Bottom Wood Plate	EA	4	LF	80
22	(11'-9" H) (2"x6") Wooden Stud @ 16" O.C <b>(318 SF)</b>	EA	21	LF	247
	<b>Structural Framing</b>				
	<b>Deck Framing</b>				
	<b>Wood Post</b>				
23	(2'-9" Long) (6"x6") Wood Post	EA	2	LF	6
24	(3'-9" Long) (6"x6") Wood Post	EA	1	LF	4
25	(3'-4" Long) (6"x6") Wood Post	EA	1	LF	4
26	(5'-3" Long) (2"x6") PTDF#2 Wood Brace	EA	8	LF	42
	<b>Wood Beam / Girder</b>				
27	(14'-0" Long) (6"x10") DF#1 Girder	EA	2	LF	28
28	(16'-0" Long) (6"x10") DF#1 Girder	EA	2	LF	32
	<b>Wood Blocking</b>				
29	(2"x8") Rim-Joist			LF	60
30	(2"x8") Wood Blocking			LF	60
31	(2"x8") Exterior Fire X Treated Ledger			LF	50
32	(2'-0" Long) (6"x12") Wood Blocking Pices	EA	15	LF	30
	<b>Deck Joist</b>				
33	<b>(2"x8") DF#2 Exterior Fire X Treated Joists @ 16" O.C</b>	<b>SF</b>	<b>315</b>	<b>LF</b>	<b>276</b>
34	(2'-0" Long) (2"x8") DF#2 Exterior Fire X Treated Joists	EA	5		
35	(4'-0" Long) (2"x8") DF#2 Exterior Fire X Treated Joists	EA	4		
36	(6'-0" Long) (2"x8") DF#2 Exterior Fire X Treated Joists	EA	19		
37	(8'-0" Long) (2"x8") DF#2 Exterior Fire X Treated Joists	EA	17		
	<b>Decking</b>				
38	EPI Wood Deck W/ Concealed Fasteners. Ptdf Frame. Ssd. Wui Compliant (As Per Architectural Drawings)			SF	315
	<b>Connections</b>				
39	MST60	EA	1		
40	HUC610z	EA	1		
41	DTT2z Dect Tie	EA	5		
42	LUS28z Hangers	EA	76		
43	Simpson L50z Clip	EA	45		
44	PC6Z @ (6x6) Wood Post	EA	5		
45	(5/8" Dia x 6" Embed ) Galv. Thru-Bolts	EA	19		
46	(3/4" Dia x 6" Embed) Thru Bolts	EA	16		
47	HUC610Z w/ (18) - (1/4"x1-3/4") Concrete Titen Turbo	EA	2		
	<b>Lower Floor</b>				
	<b>Wood Post</b>				
48	(10'-0" H) (4"x6") Wood Post	EA	15	LF	150
49	(10'-0" H) (6"x6") Wood Post	EA	12	LF	120
50	(10'-0" H) (6"x8") Wood Post	EA	3	LF	30
	<b>Wood Beam / Girder / Header</b>				
51	(4'-0" Long) (6"x8") Header	EA	1	LF	4
52	(8'-0" Long) (6"x12") Header	EA	1	LF	8
53	(8'-0" Long) (3-1/2"x11-7/8") LVL Beam	EA	1	LF	8
54	(14'-0" Long) (3-1/2"x11-7/8") LVL Beam	EA	2	LF	28
55	(22'-0" Long) (7"x11-7/8") LVL 2.1e 3100 Beam	EA	1	LF	22
56	(6'-0" Long) (5-1/4"x7-1/4") LVL 2.1e 3100 Beam	EA	4	LF	24
57	(8'-0" Long) (5-1/4"x7-1/4") LVL 2.1e 3100 Beam	EA	2	LF	16
58	(10'-0" Long) (5-1/4"x7-1/4") LVL 2.1e 3100 Beam	EA	2	LF	20
59	(22'-0" Long) (5-1/4"x11-7/8") LVL 2.1e 3100 Beam	EA	1	LF	22

Item #	Item Description	Unit (EA)	Quantity	Unit (LF) / (SF)	Quantity
	<b>Wood Blocking</b>				
60	(3"x8") Nailer			LF	18
61	(3"x6") PTDF Mud sill Plate			LF	400
62	(1-3/4"x11-7/8") LVL 1.8E 2400 Rim			LF	105
63	(1-3/4"x11-7/8") LVL 1.8e 2400 Ledger			LF	188
	<b>Floor Joist</b>				
64	<b>(1-3/4"x9-1/2") LVL Floor Joist 1.8e 2400 @ 16" O.C</b>	SF	26	LF	20
65	(4'-0" Long) (1-3/4"x9-1/2") LVL 1.8e 2400	EA	5		
66	<b>(11-7/8") BCI 60-2.0 DF Floor Joist @ 16" O.C</b>	SF	1370	LF	1132
67	(2'-0" Long) (11-7/8") BCI 60-2.0 DF Floor Joist	EA	1		
68	(4'-0" Long) (11-7/8") BCI 60-2.0 DF Floor Joist	EA	4		
69	(6'-0" Long) (11-7/8") BCI 60-2.0 DF Floor Joist	EA	8		
70	(8'-0" Long) (11-7/8") BCI 60-2.0 DF Floor Joist	EA	4		
71	(10'-0" Long) (11-7/8") BCI 60-2.0 DF Floor Joist	EA	9		
72	(12'-0" Long) (11-7/8") BCI 60-2.0 DF Floor Joist	EA	19		
73	(14'-0" Long) (11-7/8") BCI 60-2.0 DF Floor Joist	EA	22		
74	(16'-0" Long) (11-7/8") BCI 60-2.0 DF Floor Joist	EA	1		
75	(18'-0" Long) (11-7/8") BCI 60-2.0 DF Floor Joist	EA	1		
76	(22'-0" Long) (11-7/8") BCI 60-2.0 DF Floor Joist	EA	17		
	<b>Floor Sheathing</b>				
77	(8'-0"x4'-0") (1-1/8" Thick) T&G Floor Plywood	EA	44	SF	1408
	<b>Connections</b>				
78	HUC412	EA	4		
79	MST60 Strap	EA	6		
80	IUS2.37/11.88	EA	150		
81	Simpson L50z Clip	EA	80		
82	IUS1.81/9.5 Hangers	EA	20		
83	PC6z @ (6x6) Column	EA	12		
84	(5/8" Dia x 6" Embed) Anchor Bolts	EA	94		
85	(5/8" Dia x 7" Embed) Anchor Bolts	EA	140		
86	HUC68z w/ (14) (1/4"x1-3/4") Concrete Titen Turbo	EA	4		

Item #	Item Description	Unit (EA)	Quantity	Unit (LF) / (SF)	Quantity
	<b>Lower Roof</b>				
	<b>Wood Post</b>				
87	(12'-0" H) (6"x6") Wood Post	EA	2	LF	24
88	(14'-4" H) (6"x8") Wood Post	EA	1	LF	15
	<b>Wood Beam / Girder / Header</b>				
89	(4'-0" Long) (4"x8") Header	EA	5	LF	20
90	(6'-0" Long) (4"x8") Header	EA	3	LF	18
91	(4'-0" Long) (6"x12") Girder	EA	1	LF	4
92	(6'-0" Long) (6"x12") Girder	EA	2	LF	12
93	(8'-0" Long) (6"x12") Girder	EA	2	LF	16
94	(14'-0" Long) (6"x12") Girder	EA	2	LF	28
95	(22'-0" Long) (7"x11-7/8") LVL 2.1e 3100 Loft Beam	EA	1	LF	22
	<b>Wood Blocking</b>				
96	(2"x8") Nailer			LF	110
97	(2"x8") Ledger			LF	30
98	(1-3/4"x9-1/2") LVL 1.8e 2400			LF	50
	<b>Loft Floor Joist</b>				
99	<b>(2"x10") DF#2 Loft Joist @ 16" O.C</b>	SF	<b>275</b>	LF	<b>232</b>
100	(4'-0" Long) (2"x10") DF#2 Loft Joist	EA	2		
101	(14'-0" Long) (2"x10") DF#2 Loft Joist	EA	16		
	<b>Loft Floor Sheathing</b>				
102	(8'-0"x4'-0") (3/4" Thick) T&G Plywood Sheathing	EA	9	SF	288
	<b>Ceiling Joist</b>				
103	<b>(2"x8") DF#2 Ceiling Joist</b>	SF	<b>924</b>	LF	<b>538</b>
104	(2'-0" Long) (2"x8") DF#2 Ceiling Joist	EA	2		
105	(4'-0" Long) (2"x8") DF#2 Ceiling Joist	EA	1		
106	(6'-0" Long) (2"x8") DF#2 Ceiling Joist	EA	10		
107	(10'-0" Long) (2"x8") DF#2 Ceiling Joist	EA	7		
108	(14'-0" Long) (2"x8") DF#2 Ceiling Joist	EA	19		
109	(16'-0" Long) (2"x8") DF#2 Ceiling Joist	EA	5		
110	(18'-0" Long) (2"x8") DF#2 Ceiling Joist	EA	3		
	<b>Roof Rafter</b>				
111	<b>(2"x8") Roof Rafter @ 24" O.C</b>	SF	<b>300</b>	LF	<b>218</b>
112	(4'-0" Long) (2"x8") Roof Rafter	EA	37		
113	(6'-0" Long) (2"x8") Roof Rafter	EA	1		
114	(8'-0" Long) (2"x8") Roof Rafter	EA	8		
	<b>Roof Sheathing</b>				
115	(8'-0"x4'-0") (1/2" Thick) Plywood Sheathing	EA	10	SF	320
	<b>Connections</b>				
116	US210	EA	35		
117	LUS210	EA	35		
118	Simpson L50	EA	125		
119	LUS26 Hangers	EA	160		
120	LUS28 Hangers	EA	110		
121	(1/4" Dia x3") SDS	EA	45		
122	(1/4" Dia x6") SDS	EA	80		
123	Simpson HGU7.25x10-3/8" - SDS	EA	5		
124	AC6 Top @ (6x6) Wood Post	EA	3		

Item #	Item Description	Unit (EA)	Quantity	Unit (LF) / (SF)	Quantity
	<b>Upper Roof Framing</b>				
	<b>Wood Post</b>				
125	(9'-1" H) (4"x6") Trims	EA	8	LF	73
126	(13'-10" H) (4"x6") Wood Post	EA	8	LF	111
127	(13'-10" H) (6"x6") Wood Post	EA	8	LF	111
	<b>Wood Beam / Girder / Header</b>				
128	(4'-0" Long) (6"x8") Header	EA	5	LF	20
129	(6'-0" Long) (6"x8") Header	EA	8	LF	48
130	(8'-0" Long) (6"x8") Header	EA	2	LF	16
131	(10'-0" Long) (6"x8") Header	EA	3	LF	30
132	(12'-0" Long) (6"x12") Header	EA	2	LF	24
133	(22'-0" Long) (5-1/4"x16") LVL 2.1e 3100, Header	EA	1	LF	22
134	(14'-0" Long) (5-1/4"x11-7/8") LVL 2.1e 3100, Header	EA	1	LF	14
135	(18'-0" Long) (5-1/4"x18") LVL 2.1e 3100, Header	EA	1	LF	18
136	(22'-0" Long) (5-1/4"x14") LVL 2.1e 3100, Dropped Beam	EA	3	LF	66
137	(26'-0" Long) (5-1/4"x14") LVL 2.1e 3100, Dropped Beam	EA	3	LF	78
138	(12'-0" Long) (3-1/2"x11-7/8") LVL 2.1e 3100, Rip Beam	EA	4	LF	48
139	(14'-0" Long) (3-1/2"x11-7/8") LVL 2.1e 3100, Rip Beam	EA	2	LF	28
	<b>Wood Blocking</b>				
140	(3x) Nailers			LF	40
141	(2"x10") Fascia			LF	385
142	(2"x10") Rim Joist			LF	385
143	(2"x8") Wood Blocking			LF	480
144	(4"x8") Wood Blocking			LF	35
	<b>Roof Rafter</b>				
145	<b>(2"x10") DF#2 Roof Rafter @ 24" O.C</b>	<b>SF</b>	<b>3465</b>	<b>LF</b>	<b>1896</b>
146	(4'-0" Long) (2"x10") DF#2 Roof Rafter	EA	1		
147	(6'-0" Long) (2"x10") DF#2 Roof Rafter	EA	4		
148	(8'-0" Long) (2"x10") DF#2 Roof Rafter	EA	52		
149	(10'-0" Long) (2"x10") DF#2 Roof Rafter	EA	27		
150	(12'-0" Long) (2"x10") DF#2 Roof Rafter	EA	2		
151	(14'-0" Long) (2"x10") DF#2 Roof Rafter	EA	26		
152	(16'-0" Long) (2"x10") DF#2 Roof Rafter	EA	21		
153	(18'-0" Long) (2"x10") DF#2 Roof Rafter	EA	22		
154	(20'-0" Long) (2"x10") DF#2 Roof Rafter	EA	2		
155	(22'-0" Long) (2"x10") DF#2 Roof Rafter	EA	1		
156	<b>(1-3/4"x9-1/2") LVL 1.8e 2400 @ 16" O.C</b>	<b>SF</b>	<b>845</b>	<b>LF</b>	<b>740</b>
157	(8'-0" Long) (1-3/4"x9-1/2") LVL 1.8e 2400	EA	40		
158	(28'-0" Long) (1-3/4"x9-1/2") LVL 1.8e 2400	EA	17		
	<b>Roof Sheathing</b>				
159	(8'-0"x4'-0") (5/8" Thick) Plywood Sheathing	EA	135	SF	4320
	<b>Connections</b>				
160	Simpson A35	EA	20		
161	Simpson L90	EA	105		
162	Simpson L50	EA	136		
163	Simpson L70	EA	8		
164	CMST14 Strap (5'-0" Long)	EA	3		
165	Simpson LRU210z	EA	205		
166	Simpson IUS1.81/9.5	EA	78		
167	AC4 Top @ (4x6) Post	EA	8		
168	AC6 Top @ (6x6) Post	EA	8		

Item #	Item Description	Unit (EA)	Quantity	Unit (LF) / (SF)	Quantity
	<b>Exterior Siding</b>				
169	Vertical Epi Class A Fire Rated Siding. Stagger Seams Min. 32" Over Rain Screen. See Detail All Windows And Doors To Be Case-Less. No Exterior Trim At Corners. Sheathing Block			SF	2140
	<b>Trims</b>				
	<b>Door Trims - (Trim size assumed)</b>				
170	(1x4) Exterior Door Trims			LF	159
171	(1x4) Interior Door Trims			LF	639
	<b>Window Trims - (Trim size assumed)</b>				
172	(1x4) Exterior Window Trim			LF	579
173	(1x4) Interior Window Trim			LF	579

Lumber Takeoff Services (by VERACITY ESTIMATING)



DECK FRAMING NOTES:

1. ALL DECK FRAMING TO BE "EXTERIOR FIRE X" TREATED JOISTS BY HOOVER TREATED WOOD PRODUCTS (OF&M LISTING 2520-1701-0100) OR APPROVED EQUAL.
2. TYP. DECK JOISTS = 2X6 DF#2 "EXTERIOR FIRE X" @ 16" O.C., USE LUS28z, LUC28z, OR L570z, TYP. @ LEDGERS OR DBL 2X6.
3. TYP. DECKING = FIRE-RESISTANT IPE, SEE ARCH.
4. SIMPSON HARDWARE TO BE ZMAX OR HDG, NAILS/FASTENERS TO BE GALV. OR EQUAL CORROSION RESISTANT.
5. FIELD-CUT END CUTS, NOTCHES, AND DRILLED HOLES IN DECK FRAMING MEMBERS SHALL BE FIELD TREATED IN ACCORDANCE WITH ANPA M4.
6. SEE SI FOR ADDITIONAL INFORMATION.

LOWER FLOOR FRAMING NOTES:



1. ALL TOP PLATES TO BE CONTINUOUS OVER HEADERS, AND SPLICED PER DET. 3/SI TYP., U.N.O.
2. TYP. FLOOR JOISTS = 11 1/2" BCI 60-2.0DF @ 16" O.C.  
• @ TYP. CONDITIONS: USE IUS2.37/11.88 (FACE MOUNT) OR ITS2.37/11.88 (TOP FLANGE)  
• USE HUSS11 SKEW RIGHT 30° OR SKEW LEFT 60° WHERE OCCURS
3. TYP. FLOOR PLY = 1-1/8" WARMBOARD, GLUED & NAILED w/ 10d's @ 6"/6"/10". STAGGER PANEL JOINTS, TYP.
4. FOR ALLOWABLE HOLES IN BCI JOISTS & LVLs, SEE 6/S11 & 7/S11.
5. EXTERIOR STUDWALLS = 2X6 DF#2 @ 16" O.C. TYP. U.N.O., SHEAR PLY = 1/2" PLY, NAILED PER SHEARWALL SCHEDULE. ALL EXTERIOR STUDWALLS NOT IN SHEARWALL REGIONS TO BE TYPE PER THE SHEARWALL SCHED. ON SI TYP. U.N.O.
6. EXTERIOR HEADERS/TRIMMERS PER PLAN
7. INTERIOR STUDWALLS = 2X4 or 2X6 @ 16" O.C., SEE ARCH.
8. SEE SI FOR ADDITIONAL INFORMATION.

LEGEND:

- POST OR TRIM BELOW
- BEAMS, GIRDERS, OR HDRs PER PLAN
- FLOOR JOISTS PER PLAN
- WALLS/PARTITIONS BELOW
- HSS POST
- △ SHEAR WALL PER SCHEDULE ON SI
- LENGTH OF SHEAR WALL
- MOMENT FRAME
- MST60 THRU-FLOOR STRAP PER 7/S7, WORK w/ SHRINLS ABOVE, ATTACH TO MIN. 4X POST, E.N. WALL PLY TO 4X POST, TYP.
- HOLD-DOWNS @ FDN., SEE S2


LOWER FLOOR & DECK FRAMING PLANS  
SCALE: 1/4" = 1'-0"

• (4"x6") Wood Post (10'-0" H)	15.0
• (6"x8") Wood Post (10'-0" H)	3.0
• (2'-9" Long) (6"x6") Wood Post	2.0
• (5'-3" Long) (2"x6") PTDF#2 Brace w/ (3/4" Dia) Thru Bolts	8.0
• (3'-9" Long) (6"x6") Wood Post	1.0
• (3'-4" Long) (6"x6") Wood Post	1.0
• (6"x10") DF#1 Girder	60.0 FT
• PC6Z	5.0
• HUC610Z w/ (18) - (1/4"x1-3/4") Concrete Titen Turbo	2.0
• (2"x8") Rim-Joist	58.5 FT
• (2x) Wood Blocking	58.5 FT
• L50z Clip @ 16" O.C	58.5 FT
• (6"x12") Blocking Piece @ 36" O.C	58.5 FT
• (2"x8") Exterior Fire X Treated Ledger w/ (5/8" Dia) Galv. Thru-Bo...	49.4 FT
• LUS28z Hangers @ 16" O.C x2	49.4 FT
• DTT2z Dect Tie	4.0 FT
• (2"x8") DF#2 Exterior Fire X Treated Joists @ 16" O.C	310.9 SQ FT
• MST60	1.0
• Decking	310.9 SQ FT
• HUC610z	1.0
• (6"x6") Wood Post (10'-0" H) PC6z	12.0
• MST60 Strap	6.0
• (5-1/4"x11-7/8") LVL 2.1e 3100 Beam	22.0 FT
• (7"x11-7/8") LVL 2.1e 3100 Beam	22.0 FT
• (6"x12") Header	8.0 FT
• (5-1/4"x7-1/4") LVL 2.1e 3100 Beam	60.0 FT
• (3-1/2"x11-7/8") LVL Beam	36.0 FT
• (1-3/4"x11-7/8") LVL 1.8e 2400 Ledger w/ (5/8" Dia x 6" Embed) J-413.7 FT	1413.7 FT
• (1-3/4") LVL 1.8E 2400 Rim	104.3 FT
• HUC68z w/ (14) (1/4"x1-3/4") Concrete Titen Turbo	4.0
• HUC412	4.0
• (6"x8") Header	4.0 FT
• (1-3/4"x9-1/2") LVL 1.8e 2400 @ 16" O.C	25.3 SQ FT
• IUS1.81/9.5 Hangers @ 16" O.C x2	12.9 FT
• (11-7/8") BCI 60-2.0 DF Floor Joist @ 16" O.C	1,370.2 SQ FT
• IUS2.37/11.88 @ 16" O.C	199.9 FT
• Standard Joist	276.0 FT
• Standard Joist	20.0 FT
• Standard Joist	1,132.0 FT



Lumber Takeoff Services









7/15/2024

REVISIONS

NO.	DESCRIPTION

SHEET DESCRIPTION:

UPPER ROOF FRAMING PLANS


DRAWN BY: FN

CHECKED BY:

JOB #: 2024-07

DATE: 4/2024

S5





### LUMBER TAKEOFF SERVICES



by Veracity Estimating

500 Chestnut Street Ste. 100  
Santa Cruz, Ca. 95060  
john@swiftconsultingservice.com  
831.459.9992 ext.103

ROCK SOLID ENGINEERING  
1100 Main Street  
Watsonville, Ca. 95076  
831.724.5868

KEVIN SMITH LAND SURVEYING  
111 Delview Ave  
Santa Cruz, Ca 95062  
831.588.0154  
kevinsmithlandsurveying@gmail.com

WAGGONER DESIGN  
STRUCTURAL ENGINEERING  
220 Celeste Way  
Santa Cruz, Ca. 95065  
831.423.2225  
fletcher.waggoner@gmail.com

MYER ENGINEERING, INC.  
ENVIRONMENTAL ENGINEERING  
831.800.2244  
paul@myerengineering.com

RI ENGINEERING INC  
303 Potrero Street  
Santa Cruz, Ca. 95060  
831-425-3901  
richard@riengineering.com  
mark@riengineering.com

MONTEREY ENERGY GROUP  
26465 Carmel Rancho Blvd. #8  
Carmel Ca. 93923  
831.372.8328  
Chris Cummings  
H:\Proj23\3247  
montereyenergygroup.com




Date: 7-29-2024 Issue:

### BASEMENT 1/4"=1'

# A-6

ALL DRAWINGS AND WRITTEN MATERIAL APPEARING HERIN CONSTITUTE ORIGINAL AND UNPUBLISHED WORK OF THE DESIGNER AND MAY NOT BE DUPLICATED, USED, OR DISCLOSED WITHOUT WRITTEN CONSENT OF BRYAN MARTIN DESIGN BUILD.




### FOUNDATION SSD

**FLOOR PLAN KEY**  
 [1] FLOOR DRAIN TO DAYLIGHT  
 [2] GOLF SIMULATOR  
 [3] CABINET 36X24X36, WITH MINI-REFRIGERATOR

**NOTES:**  
 HAVE ELECTRICIAN LAYOUT UFER GROUND'S.  
 ALL EXTERIOR DOOR THRESHOLDS TO BE RECESSED.

	(4" Thick) Interior Wall (9'-1" H)	18.0 FT
	(6" Thick) Exterior Wall (5'-0" H)	86.5 FT

3D EXTERIOR ELEVATION	NUMBER	QTY	SIZE	DOOR SCHEDULE	DESCRIPTION	MANUFACTURER	COMMENTS	FIRE	TEMPERED
	D01	1	3066 L EX	EXT. HINGED DOOR E21	CUSTOM		M/I COMPLIANT	YES	YES
	D02	1	3066 L IN	HINGED DOOR S01			SOLID CORE		
	D03	1	3066 L IN	HINGED DOOR S02			SOLID CORE		



### FINISHED BASEMENT



**LUMBER  
TAKEOFF  
SERVICES**

by Veracity Estimating

500 Chestnut Street Ste. 100  
Santa Cruz, Ca. 95060  
john@swiftconsultingservice.com  
831.459.9992 ext.103

**ROCK SOLID ENGINEERING**  
1100 Main Street  
Watsonville, Ca. 95076  
831.724.5868

**KEVIN SMITH LAND SURVEYING**  
111 Delview Ave  
Santa Cruz, Ca. 95062  
831.588.0154  
kevinsmithlandsurveying@gmail.com

**WAGGONER DESIGN  
STRUCTURAL ENGINEERING**  
220 Celeste Way  
Santa Cruz, Ca. 95065  
831.423.2225  
fletcher.waggoner@gmail.com

**MYER ENGINEERING, INC.**  
ENVIRONMENTAL ENGINEERING  
831.800.2244  
paul@myerengineering.com

**RI ENGINEERING INC**  
303 Potrero Street  
Santa Cruz, Ca. 95060  
831-425-3901  
richard@riengineering.com  
mark@riengineering.com

**MONTEREY ENERGY GROUP**  
26465 Carmel Rancho Blvd. #8  
Carmel Ca. 93923  
831.372.8328  
Chris.Cummings  
H:\Proj\23\3247  
montereyenergygroup.com

NORTH u.n.o.

Date: 7-29-2024 Issue:


**ELEVATIONS  
AS NOTED**

**A-7**

ALL DRAWINGS AND WRITTEN MATERIAL APPEARING HEREIN CONSTITUTE ORIGINAL AND UNPUBLISHED WORK OF THE DESIGNER AND MAY NOT BE DUPLICATED, USED, OR DISCLOSED WITHOUT WRITTEN CONSENT OF BRYAN MARTIN DESIGN BUILD.



**EAST**  
1/4"=1'



**SOUTH**  
WITH OUTDOOR KITCHEN REMOVED FOR MORE CLARITY  
1/4"=1'

**(5/4"x6") Vertical EPI Class A Fire Rated Siding 925.3 SQ FT**

[1] STANDING SEAM METAL ROOF. AT AREAS WHERE ROOF PITCH IS LESS THAN 4:12 DOUBLE UNDERLAYMENT APPLICATION IS REQUIRED IN ACCORDANCE WITH SECTION 1507.2.8. PROVIDE A RADIANT BARRIER AT THE ROOF. THIS BARRIER SHALL HAVE AN EMITTANCE OF 0.05 OR LESS, AS TESTED IN ACCORDANCE WITH ASTM C1371 OR ASTM E408, AND SHALL BE CERTIFIED PER TITLE 24, PART 12, CHAPTER 12-13, STANDARD FOR INSULATING MATERIAL. [CENC 150.1(C)2, TABLE 150.1-A, 110.8(J)]

[2] \*PHOTOVOLTAIC PANELS. TO BE A SEPARATE PERMIT. PANEL SIZE. 41"x61" WEIGHT EA. 41#

[3] COPPER GUTTER W/ GUTTER GUARD. ROUND 3" COPPER DOWNSPOUTS.

[4] CLASS A GACO ROOF DECK MEMBRANE. ICC-ES EVALUATION REPORT ESR-1284, OR EQUAL. SEE PAGE MEP-6. DRAIN AT 1/4" / FT.

[5] GAS FIRED PIZZA OVEN

[6] GAS BBQ

[7] 2X10 SMOOTH ENGINEERED CEDAR FACIA LISTING NO. 2520-1701:0100

[8] CLOSED EAVES 1X4 WESTERN RED CEDAR (TYP. OF ALL SOFFITS) WUI COMPLIANT LISTING NO. 8160-2246:0500

[9] VERTICAL 5/4X6 EPI CLASS A FIRE RATED SIDING. STAGGER SEAMS MIN. 32". OVER RAIN SCREEN. SEE DETAIL. ALL WINDOWS AND DOORS TO BE CASE-LESS. NO EXTERIOR TRIM AT CORNERS. SHEATHING FLAME BLOCK

[10] CORTEN STEEL POST (SSD)

[11] PAVER DRIVEWAY

[12] STONE LEDGER PANELS BY MSI OR EQUAL. STONE TYPE TO BE SELECTED BY OWNER

[13] ALL WINDOWS TO BE ANDERSON A-SERIES U.N.O. WITH HIGH PERFORMANCE SMART SUN / HEAT LOCK COATING. (TYP.) BOTTOM OF UPPER WINDOWS APPROXIMATELY 114" ABOVE FINISHED FLOOR

[15] DRYER VENT. DRYER EXHAUST DUCT TERMINATION SHALL BE LOCATED A MINIMUM OF 3' FROM ANY BUILDING OPENING. [CMC 502.2.1]

[16] HAND RAILING

[17] EPI WOOD DECK OVER PRESSURE TREATED LUMBER. ALL MATERIAL TO BE WUI COMPLIANT. SSD

[18] LACANTINA BIFOLD DOORS 3L/3R. TO BE CONFIRMED W/ OWNER

[19] KITCHEN COUNTER TOP EXTENSION

[20] WALL MOUNTED OVERHANG W/ DOWN LIGHTING.

[21] BRAD-GUARD UNDER HOUSE VENTS. RATED FOR EXTERIOR WILDFIRE EXPOSURE. PROVIDE FOUNDATION VENTS AT A MINIMUM OF 1 SQ. FT. FOR EACH 150 SQ. FT. OF UNDER FLOOR AREA. DISTRIBUTE EQUAL AROUND PERIMETER OF STRUCTURE

[22] LACANTINA BIFOLD WINDOW. TO BE CONFIRMED WITH OWNER

[23] GARAGE DOOR 16'X8' SECTIONAL. BLACK ANODIZED ALUMINUM FRAME WITH ETCHED TEMPERED GLASS. WUI COMPLIANT

[24] UNDER FLOOR ACCESS 22"x30" MINIMUM

[36] ELECTRICAL UNDERGROUND ENTRY / METER

[37] RAISED PLANTERS

COPPER Z BAR FLASHING ABOVE ALL DOOR AND WINDOWS.

USE LOW/NO VOC PAINT FOR ALL EXTERIOR AND INTERIOR PAINTING.

SLOPE GRADE AWAY FROM FOUNDATIONS AT A MINIMUM OF 5% FOR 10'

PER CENC ALL JOINTS, PENETRATIONS, AND OTHER OPENINGS IN THE BUILDING ENVELOPE THAT ARE POTENTIAL SOURCES OF AIR LEAKAGE SHALL BE CAULKED, GASKETED, WEATHER-STRIPPED, OR OTHERWISE SEALED TO LIMIT INFILTRATION AND EXFILTRATION.

PRODUCTS SENSITIVE TO ADVERSE WEATHER SHALL NOT BE INSTALLED UNTIL ADEQUATE WEATHER PROTECTION FOR THE INSTALLATION IS PROVIDED. EXTERIOR SHEATHING SHALL BE DRY BEFORE APPLYING EXTERIOR COVER.

**R703.4 FLASHING.**  
APPROVED CORROSION-RESISTANT FLASHING SHALL BE APPLIED SHINGLE-FASHION IN A MANNER TO PREVENT ENTRY OF WATER INTO THE WALL CAVITY OR PENETRATION OF WATER TO THE BUILDING STRUCTURAL FRAMING COMPONENTS. SELF-ADHERED MEMBRANES USED AS FLASHING SHALL COMPLY WITH AAMA 711. FLUID-APPLIED MEMBRANES USED AS FLASHING IN EXTERIOR WALLS SHALL COMPLY WITH AAMA 714. THE FLASHING SHALL EXTEND TO THE SURFACE OF THE EXTERIOR WALL FINISH. APPROVED CORROSION-RESISTANT FLASHING'S SHALL BE INSTALLED AT THE FOLLOWING LOCATIONS.

1. EXTERIOR WINDOW AND DOORS OPENINGS. FLASHING AT EXTERIOR WINDOW AND DOOR OPENINGS SHALL EXTEND TO THE SURFACE OF THE EXTERIOR WALL FINISH OR TO THE WATER RESISTIVE BARRIER COMPLYING WITH SECTION 703.2 FOR SUBSEQUENT DRAINAGE. MECHANICALLY ATTACHED FLEXIBLE FLASHING'S SHALL COMPLY WITH AAMA 712. FLASHING AT EXTERIOR WINDOW AND DOOR OPENINGS SHALL BE INSTALLED IN ACCORDANCE WITH ONE OR MORE OF THE FOLLOWING.

1.1 THE FENESTRATION MANUFACTURERS INSTALLATION AND FLASHING INSTRUCTIONS. OR FOR APPLICATIONS NOT ADDRESSED IN THE FENESTRATION MANUFACTURERS INSTRUCTIONS OR DETAILS ARE NOT PROVIDED, PAN FLASHING SHALL BE INSTALLED AT THE SILL OF EXTERIOR WINDOW AND DOOR OPENINGS. PAN FLASHING SHALL BE SEALED OR SLOPED IN SUCH A MANNER AS TO DIRECT WATER TO THE SURFACE OF THE EXTERIOR WALL FINISH OR TO THE WATER RESISTIVE BARRIER FOR SUBSEQUENT DRAINAGE. OPENINGS USING PAN FLASHING SHALL INCORPORATE FLASHING OR PROTECTION AT THE HEAD AND SIDES.

**WUI REQUIREMENTS**

ALL EXTERIOR FINISHES TO BE **NONCOMBUSTIBLE MATERIAL**.  
2.IGNITION-RESISTANT MATERIAL. THE IGNITION-RESISTANT MATERIAL SHALL BE LABELED FOR EXTERIOR USE AND SHALL MEET THE REQUIREMENTS OF SECTION R337.4.2.  
3.FIRE-RETARDANT-TREATED WOOD. THE FIRE-RETARDANT-TREATED WOOD SHALL BE LABELED FOR EXTERIOR USE AND SHALL MEET THE REQUIREMENTS OF SECTION 2303.2 OF THE CALIFORNIA BUILDING CODE.



### LUMBER TAKEOFF SERVICES



by Veracity Estimating

500 Chestnut Street Ste. 100  
Santa Cruz, Ca. 95060  
john@swiftconsultingservice.com  
831.459.9992 ext. 103

ROCK SOLID ENGINEERING  
1100 Main Street  
Watsonville, Ca. 95076  
831.724.5868

KEVIN SMITH LAND SURVEYING  
111 Delview Ave  
Santa Cruz, Ca 95062  
831.588.0154  
kevinsmithlandsurveying@gmail.com

WAGGONER DESIGN  
STRUCTURAL ENGINEERING  
220 Celeste Way  
Santa Cruz, Ca. 95065  
831.423.2225  
fletcher.waggoner@gmail.com

MYER ENGINEERING, INC.  
ENVIRONMENTAL ENGINEERING  
831.800.2244  
paul@myerengineering.com

RI ENGINEERING INC  
303 Potrero Street  
Santa Cruz, Ca. 95060  
831-425-3901  
richard@riengineering.com  
mark@riengineering.com

MONTEREY ENERGY GROUP  
26465 Carmel Rancho Blvd. #8  
Carmel Ca. 93923  
831.372.8328  
Chris Cummings  
H:\Proj23\3247  
montereyenergygroup.com

NORTH u.n.o.

Date: 7-29-2024 Issue:

ELEVATIONS  
AS NOTED

# A-8

ALL DRAWINGS AND WRITTEN MATERIAL APPEARING HERIN CONSTITUTE ORIGINAL AND UNPUBLISHED WORK OF THE DESIGNER AND MAY NOT BE DUPLICATED, USED, OR DISCLOSED WITHOUT WRITTEN CONSENT OF BRYAN MARTIN DESIGN BUILD.



WEST  
WITH GARAGE SHOWN  
1/4"=1'



WEST  
WITH GARAGE REMOVED FOR MORE CLARITY  
1/4"=1'

#### RESIDENTIAL STAIRWAY AND HANDRAIL (5/4"x6") Vertical EPI Class A Fire Rated Siding

HANDRAIL HEIGHT, MEASURED ABOVE THE STAIR TREAD NOSING, SHALL BE UNIFORM, NOT LESS THAN 34" AND NOT MORE THAN 38"  
HANDRAIL WITH CIRCULAR CROSS-SECTION SHALL HAVE AN OUTSIDE DIAMETER OF AT LEAST 1 1/4" AND NOT GREATER THAN 2" OR SHOULD PROVIDE EQUIVALENT GRASP ABILITY.  
HANDRAIL SHALL BE CONTINUOUS THE FULL LENGTH OF THE STAIRS, FROM THE TOP RISER TO THE BOTTOM  
STAIRWAYS SHALL HAVE A MINIMUM HEADROOM CLEARANCE OF 80" MEASURED VERTICALLY FROM A LINE CONNECTING THE EDGE OF THE NOSING.

WIDTH. STAIRWAYS SHALL NOT BE LESS THAN 36" IN CLEAR WIDTH AT ALL POINTS ABOVE THE PERMITTED HANDRAIL HEIGHT AND BELOW THE REQUIRED HEADROOM HEIGHT. HANDRAILS SHALL NOT PROJECT MORE THAN 4.5" ON EITHER SIDE OF THE STAIRWAY AND THE MINIMUM CLEAR WIDTH OF THE STAIRWAY AT AND BELOW THE HANDRAIL HEIGHT, INCLUDING TREADS AND LANDINGS, SHALL NOT BE LESS THAN 31.5" WHERE A HANDRAIL IS INSTALLED ON ONE SIDE AND 27" WHERE HANDRAILS ARE PROVIDED ON BOTH SIDES.

WALKLINE. THE WALKLINE ACROSS WINDER TREADS SHALL BE CONCENTRIC TO THE CURVED DIRECTION OF TRAVEL THROUGH THE TURN AND LOCATED 12" FROM THE SIDE WHERE THE WINDERS ARE NARROWER. THE 12" DIMENSION SHALL BE MEASURED FROM THE WIDEST POINT OF CLEAR STAIR WIDTH AT THE WALKING SURFACE OF THE WINDER. IF WINDERS ARE ADJACENT WITHIN THE FLIGHT, THE POINT OF THE WIDEST CLEAR STAIR WIDTH OF THE ADJACENT WINDERS SHALL BE USED.

#### LANDING REQUIREMENTS

LANDINGS SHALL BE PROVIDED WITH LANDING. THE WIDTH OF EACH LANDING SHALL NOT BE LESS THAN THE DOOR SERVED. EVERY LANDING SHALL HAVE A MINIMUM DIMENSION OF 36 INCHES MEASURED IN THE DIRECTION OF TRAVEL. EXTERIOR LANDINGS ARE PERMITTED TO HAVE A SLOPE NOT EXCEEDING 1/4 UNIT VERTICAL IN 12 UNITS HORIZONTAL (2%), (CRC SEC. R311.3).  
B EXTERIOR LANDINGS AT THE REQUIRED EGRESS DOOR SHALL NOT BE MORE THAN 1-1/2 INCHES LOWER THAN THE TOP OF THE THRESHOLD FOR THE OUTSWINGING DOOR AND MORE THAN 7-3/4 INCHES BELOW THE TOP OF THE THRESHOLD FOR THE INSWINGING DOOR. (CRC SEC.R311.3.1).

#### GUARD REQUIREMENTS

GUARDS SHALL BE LOCATED ALONG OPEN-SIDED WALKING SURFACES, INCLUDING MEZZANINES, EQUIPMENT PLATFORMS, AISLES, STAIRS, RAMPS AND LANDINGS THAT ARE LOCATED MORE THAN 30" MEASURED VERTICALLY TO THE FLOOR OR GRADE BELOW AT ANY POINT WITHIN 36" HORIZONTALLY TO THE EDGE OF THE OPEN SIDE. GUARDS SHALL BE ADEQUATE IN STRENGTH AND ATTACHMENT IN ACCORDANCE WITH SECTION 1607.9.

526.4 SQ FT



EAST



### LUMBER TAKEOFF SERVICES



by Veracity Estimating

500 Chestnut Street Ste. 100  
Santa Cruz, Ca. 95060  
john@swiftconsultingservice.com  
831.459.9992 ext.103

ROCK SOLID ENGINEERING  
1100 Main Street  
Watsonville, Ca. 95076  
831.724.5868

KEVIN SMITH LAND SURVEYING  
111 Delview Ave  
Santa Cruz, Ca. 95062  
831.588.0154  
kevinsmithandsurveying@gmail.com

WAGGONER DESIGN  
STRUCTURAL ENGINEERING  
220 Celeste Way  
Santa Cruz, Ca. 95065  
831.423.2225  
fletcher.waggoner@gmail.com

MYER ENGINEERING, INC.  
ENVIRONMENTAL ENGINEERING  
831.800.2244  
paul@myerengineering.com

RI ENGINEERING INC  
303 Potrero Street  
Santa Cruz, Ca. 95060  
831.425.3901  
richard@riengineering.com  
mark@riengineering.com

MONTEREY ENERGY GROUP  
26465 Carmel Rancho Blvd. #8  
Carmel Ca. 93923  
831.372.8328  
Chris Cummings  
H:\Proj23\3247  
montereyenergygroup.com


NORTH u.n.o.

Date: 7-29-2024 Issue:

### ELEVATIONS AS NOTED

# A-9

ALL DRAWINGS AND WRITTEN MATERIAL APPEARING HERIN CONSITUTE ORIGINAL AND UNPUBLISHED WORK OF THE DESIGNER AND MAY NOT BE DUPLICATED, USED, OR DISCLOSED WITHOUT WRITTEN CONSENT OF BRYAN MARTIN DESIGN BUILD.



**NORTH**  
1/4"=1'



**EAST**  
GARAGE  
1/4"=1'

**CEDAR EAVES**

LISTING NO. 8160-2246:0500 CATEGORY: 8160 -- UNDER EAVE FOR WILDLAND URBAN INTERFACE (W.U.I) LISTEE: PANELTEK PRODUCTS LTD, 2885 WEST 34TH AVENUE, VANCOUVER, BC V6N 2J7 CANADA CONTACT: MAUREEN ZAVISLAK (604) 990-1941 EMAIL: MAUREEN@PANELTEKPRODUCTS.COM DESIGN: PANELTEK ENGINEERED CEDAR EXTERNAL SOFFIT FOR EXTERNAL USE IN WILDLAND URBAN INTERFACE AREAS. FINE GRAIN CEDAR LAMINATED TONGUE AND GROOVE SOFFIT PANELING BOARDS. NOMINAL 4" AND 6" WIDE, 19/32" THICK, 4' TO 7' LENGTHS, AND 8' TO 16' LENGTHS, FINGER JOINTED, EDGE GLUED CEDAR CORE. REFER TO THE MANUFACTURER'S INSTALLATION INSTRUCTIONS AND PRODUCT DATA SHEETS.




OR

LISTING NO. 8160-2032:0004 CATEGORY: 8160 -- UNDER EAVE FOR WILDLAND URBAN INTERFACE (W.U.I) LISTEE: SHAKERTOWN 1200 KERRON STREET, WINLOCK, VA 98596 CONTACT: MARK RUTLEDGE (360) 785-3501 FAX (360) 785-3076 EMAIL: MARK@SHAKERTOWN.COM DESIGN: SHAKERTOWN@ DOLLY VARDEN TONGUE & GROOVED, EXTERIOR CEDAR SOFFIT PANELING, 4" AND 6" NOMINAL WIDTH, 8', 10', 12' LENGTHS, 1" NOMINAL THICKNESS (11/16" TRUE THICKNESS) EXPOSURE SIDING PRODUCT, WESTERN RED CEDAR AND FIR BONDED INTO 7 PLY PANEL FOR HORIZONTAL INSTALLATION ONLY. REFER TO THE MANUFACTURER'S INSTALLATION INSTRUCTIONS AND PRODUCT DATA SHEETS.

**FACIA**

LISTING NO. 2520-1701:0100 CATEGORY: 2520 -- TREATED LUMBER LISTEE: HOOVER TREATED WOOD PRODUCTS, INC. 154 WIRE ROAD, THOMSON, GA. 30824 CONTACT: CHRIS ATHARI (706) 595-6600 EMAIL: CATHARI@FRTW.COM DESIGN: TREATED LUMBER WITH EXTERIOR FIRE X. PRODUCTS ARE PRESSURE IMPREGNATED WITH "EXTERIOR FIRE X" FIRE RETARDANT CHEMICAL. EXTERIOR FIRE X COVERS THE FOLLOWING TYPES OF LUMBER: DOUGLAS FIR, SOUTHERN YELLOW PINE, WESTERN RED CEDAR, AND REDWOOD LUMBER. REFER TO LISTEE'S PRINTED INSTALLATION INSTRUCTIONS FOR ADDITIONAL DETAILED PRODUCT DESCRIPTION AND CONSTRUCTIONS. RATING: TESTED TO ASTM E84 WITH AN ADDITIONAL 20 MINUTES AND ASTM D2898. DOUGLAS FIR: 15 FLAME SPREAD; 30 SMOKE DEVELOPED SOUTHERN YELLOW PINE: 15 FLAME SPREAD; 50 SMOKE DEVELOPED WESTERN RED CEDAR: 10 FLAME SPREAD; 30-105 SMOKE DEVELOPED REDWOOD: 10 FLAME SPREAD; 10-115 SMOKE DEVELOPED

(5/4"x6") Vertical EPI Class A Fire Rated Siding **687.7 SQ FT**



### INSPIRATION



**WINDOWS**

TYPE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30			
U-Factor																																	
R-Value																																	
SHGC																																	
Visible Transmittance																																	
Notes																																	
Material																																	
Manufacturer																																	
Notes																																	
Notes																																	
Notes																																	
Notes																																	
Notes																																	
Notes																																	
Notes																																	
Notes																																	
Notes																																	

**WINDOW NOTES**

- 1 CONTRACTOR SHALL VERIFY ROUGH WINDOW OPENING'S PRIOR TO ORDERING AND PRIOR TO CONSTRUCTION, WITH OWNER & MANUFACTURE.
- 2 CONTRACTOR SHALL USE COPPER HEAD FLASHING WITH OTHER FLASHING MATERIALS AND WITH TECHNIQUES TO PROVIDE A WEATHER - TIGHT PROJECT.
- 3 CONTRACTOR SHALL VERIFY COMPLIANCE WITH TITLE 24 ENERGY FORMS, EGRESS CODES, & TEMPERED GLAZING CODES, PRIOR TO ORDERING. EACH SLEEPING ROOM SHALL HAVE ONE (1) EGRESS WINDOW, MINIMUM REQUIREMENT: 5.7 SQ. FT. OPEN AREA, 24" CLEARANCE MINIMUM HEIGHT, 20" CLEARANCE MINIMUM WIDTH, BOTTOM OF THE CLEAR OPENING FOR EMERGENCY ESCAPE AND RESCUE OPENING IS NOT GREATER THAN 44" A.F.F. CRC R310. OPENING DIRECTLY INTO A PUBLIC STREET, ALLEY, COURT, OR YARD. SECTION 310.4, UBC.
4. THE FOLLOWING SHALL BE CONSIDERED HAZARDOUS LOCATIONS AND PROVIDED WITH SAFETY GLAZING:
  - A. GLAZING IN INGRESS AND EGRESS DOORS
  - B. GLAZING IN FIXED AND SLIDING PANELS OF SLIDING DOOR ASSEMBLIES AND PANELS OF SWINGING DOORS OTHER THAN WARDROBE DOORS.
  - C. GLAZING IN STORM DOORS.
  - D. GLAZING IN ALL UNFRAMED DOORS.
  - E. GLAZING IN DOORS AND ENCLOSURES FOR HOT TUBS, WHIRLPOOLS, SAUNAS, STEAM ROOMS, BATHTUBS AND SHOWERS. GLAZING IN ANY PORTION OF A BUILDING WALL ENCLOSING THESE COMPARTMENTS WHERE THE BOTTOM EXPOSED EDGE OF THE GLAZING IS LESS THAN 60" ABOVE THE WALKING SURFACE AND DRAIN INLET.
  - F. GLAZING IN FIXED OR OPERABLE PANELS ADJACENT TO A DOOR WHERE THE NEAREST EXPOSED EDGE OF THE GLAZING IS WITHIN A 24" ARC OF EITHER VERTICAL EDGE OF THE DOOR IN A CLOSED POSITION AND WHERE THE BOTTOM EXPOSED EDGE OF THE GLAZING IS LESS THAN 60" ABOVE THE WALKING SURFACE.
  - G. GLAZING IN AN INDIVIDUAL FIXED OR OPERABLE PANEL, THAT MEETS ALL OF THE FOLLOWING CONDITIONS:
  - H. EXPOSED AREA OF AN INDIVIDUAL PANE GREATER THAN 9 S.F.
  - I. EXPOSED BOTTOM EDGE LESS THAN 18" ABOVE THE FLOOR
  - J. EXPOSED TOP EDGE GREATER THAN 36" ABOVE THE FLOOR
  - K. ONE OR MORE WALKING SURFACES WITHIN 36" HORIZONTALLY OF THE PANE OF THE GLAZING.
  - L. GLAZING IN RAILINGS REGARDLESS OF HEIGHT ABOVE THE WALKING SURFACE.

4. CONTRACTOR SHALL VERIFY MAKE & MODEL, TYPE, OPERATION, DIRECTION, HARDWARE, FINISH, SIZE, ETC. PRIOR TO ORDERING WITH OWNER.

6. SEE ELEVATIONS FOR LIGHT CONFIGURATION.

7. \*ALL WINDOWS SHALL BE DOUBLE GLAZED W/ LOW E GLASS

8. ALL WINDOWS SHALL MEET WUI REQUIREMENTS.

**WUI WINDOW AND EXTERIOR DOOR REQUIREMENTS**

EXTERIOR WINDOWS, SKYLIGHTS AND EXTERIOR GLAZED DOOR ASSEMBLIES SHALL COMPLY WITH ONE OF THE FOLLOWING REQUIREMENTS:

- 1 BE CONSTRUCTED OF MULTIPANE GLAZING WITH A MINIMUM OF ONE TEMPERED PANE MEETING THE REQUIREMENTS OF SECTION 2406 SAFETY GLAZING, OR
- 2 BE CONSTRUCTED OF GLASS BLOCK UNITS, OR
- 3 HAVE A FIRE-RESISTANCE RATING OF NOT LESS THAN 20 MINUTES WHEN TESTED ACCORDING TO NFPA 257, OR
- 4 BE TESTED TO MEET THE PERFORMANCE REQUIREMENTS OF SFM STANDARD 12-7A-2.

5 ALL WINDOWS SHALL HAVE MINIMUM ONE PANE TEMPERED IN COMPLIANCE WITH WUI REQUIREMENTS.

ALL EXTERIOR DOORS INCLUDING VEHICLE DOOR SHALL BE 20 MINUTE FIRE RATED.

ALL EXTERIOR DOORS SHALL BE IN COMPLIANCE WITH WUI REQUIREMENTS.

DO NOT REMOVE NFRC LABELS FROM WINDOWS AND DOORS UNTIL FIELD VERIFICATION IS COMPLETE

ALL WINDOWS TO BE ANDERSON A-SERIES U.N.O. WITH HIGH PERFORMANCE SMART SUN / HEAT LOCK COATING. WUI COMPLIANT

BOTTOM OF UPPER WINDOWS APPROXIMATELY 114" ABOVE FINISHED FLOOR

REFER TO T-24 FOR U-FACTOR AND OTHER ENERGY REQUIREMENTS.

● (6x5)	1.0
● (5x5)	2.0
● (3x2)	1.0
● (1.67x4)	1.0
● (4.58x2)	1.0
● (6.33x3.67)	1.0
● (5x4)	1.0
● (5.33x3.16)	1.0
● (5.33x5)	1.0
● (5.33x4.5)	1.0
● (6x5.16)	1.0
● (2x13.16)	1.0
● (6x3.16)	1.0
● (8.83x5)	1.0
● (5x2.67)	2.0
● (6x4.75)	1.0
● (6x5.16)	1.0
● (6x5)	4.0
● (8.91x5)	1.0
● (7x3.16)	1.0
● (6x4)	1.0
● (1.67x4)	1.0
● (6x5.58)	2.0

**LUMBER  
TAKEOFF  
SERVICES**

by Veracity Estimating

500 Chestnut Street Ste. 100  
Santa Cruz, Ca. 95060  
john@swiftconsultingservice.com  
831.459.9992 ext.103

**ROCK SOLID ENGINEERING**  
1100 Main Street  
Watsonville, Ca. 95076  
831.724.5868

**KEVIN SMITH LAND SURVEYING**  
111 Delview Ave  
Santa Cruz, Ca. 95062  
831.588.0154  
kevinsmithlandsurveying@gmail.com

**WAGGONER DESIGN  
STRUCTURAL ENGINEERING**  
220 Celeste Way  
Santa Cruz, Ca. 95065  
831.423.2225  
fletcher.waggoner@gmail.com

**MYER ENGINEERING, INC.**  
ENVIRONMENTAL ENGINEERING  
831.800.2244  
paul@myerengineering.com

**RI ENGINEERING INC**  
303 Potrero Street  
Santa Cruz, Ca. 95060  
831-425-3901  
richard@riengineering.com  
mark@riengineering.com

**MONTEREY ENERGY GROUP**  
26465 Carmel Rancho Blvd. #8  
Carmel Ca. 93923  
831.372.8328  
Chris Cummings  
H:\Proj23\3247  
montereyenergygroup.com

Date: 7-29-2024 Issue:

**WINDOW SCHEDULE**

**A-11**

ALL DRAWINGS AND WRITTEN MATERIAL APPEARING HERIN CONSTITUTE ORIGINAL AND UNPUBLISHED WORK OF THE DESIGNER AND MAY NOT BE DUBLICATED, USED, OR DISCLOSED WITHOUT WRITTEN CONSENT OF BRYAN MARTIN DESIGN BUILD.



# DOORS

NO.	SYMBOL	DESCRIPTION	MANUFACTURER	FINISH	GLASS	TYPE	HEIGHT	WIDTH
D01		ext. 4-1/2" Blk. Glass Panel	La. Caspina	La. Caspina	ALUMINUM	Yes	1.50'	1.50'
D02		OVERHEAD SECTIONAL	TECO	TECO	ELECTRIC DOOR OPENER	Yes	1.50'	1.50'
D03		ext. 4-1/2" Blk. Glass Panel	La. Caspina	La. Caspina	ALUMINUM	Yes	1.50'	1.50'
D04		ext. 4-1/2" Blk. Glass Panel	La. Caspina	La. Caspina	ALUMINUM	Yes	1.50'	1.50'
D05		Highgl. Glass Panel			OBSCURE GLASS	Yes	1.50'	1.50'
D06		Highgl. Side					1.50'	1.50'
D07		Blk. Glass Panel			SOFT CLOSE HANDWARE	Yes	1.50'	1.50'
D08		ext. Highgl. Glass Panel	ANDERSON	ANDERSON	ALUMINUM	Yes	1.50'	1.50'
D09		Highgl. Glass Panel					1.50'	1.50'
D10		Highgl. Side					1.50'	1.50'
D11		Blk. Glass Panel			SOFT CLOSE HANDWARE	Yes	1.50'	1.50'
D12		ext. Highgl. Glass Panel	ANDERSON	ANDERSON	ALUMINUM	Yes	1.50'	1.50'
D13		Blk. Glass Panel			SOFT CLOSE HANDWARE	Yes	1.50'	1.50'
D14		ext. Highgl. Glass Panel	ANDERSON	ANDERSON	ALUMINUM	Yes	1.50'	1.50'
D15		ext. Highgl. Glass Panel	ANDERSON	ANDERSON	ALUMINUM	Yes	1.50'	1.50'
D16		ext. Highgl. Glass Panel	ANDERSON	ANDERSON	ALUMINUM	Yes	1.50'	1.50'
D17		Blk. Glass Panel			SOFT CLOSE HANDWARE	Yes	1.50'	1.50'
D18		ext. Double Highgl. Glass Panel	ANDERSON	ANDERSON	ALUMINUM	Yes	1.50'	1.50'
D19		ext. Double Highgl. Glass Panel	CUSTOM	CUSTOM	ALUMINUM	Yes	1.50'	1.50'

### DOOR NOTES

Contractor shall verify openings prior to ordering and prior to construction with owner and manufacture.  
 Contractor shall use copper head flashing with other flashing materials and with techniques to provide a weather tight project at entrance doors.  
 Contractor shall verify compliance with title 24 energy forms prior to ordering.  
 Contractor shall verify compliance with egress prior to ordering.  
 Contractor shall verify wall thickness for unit depth requirements prior to ordering.  
 Contractor shall verify WITH OWNER make and model type, operation, direction, hardware, finish, threshold, size, etc. prior to ordering.  
 All exterior doors shall be fully weather stripped and type to be verified with owners.  
 All doors with glazing shall be tempered glazing.  
 Contractor shall use copper door pan and recess all exterior door thresholds flush with interior finish floor.

#### Exterior doors shall comply with one of the following:

- The exterior surface or cladding shall be of noncombustible material.
  - The exterior surface or cladding shall be of ignition resistant material.
  - The exterior door shall be constructed of solid core wood that complies with the following requirements:
    - Stiles and rails shall not be less than 1 3/8 inches thick.
    - Panels shall not be less than 1 1/4 inches thick, except for the exterior perimeter of the panel that shall be permitted to taper to a tongue not less than 3/8 inch thick.
  - The exterior door assembly shall have a fire-resistance rating of not less than 20 minutes when tested according to NFPA 252.
  - The exterior surface or cladding shall be tested to meet the performance requirements of Section 707A.3.1 when tested in accordance with ASTM E2707.
  - The exterior surface or cladding shall be tested to meet the performance requirements of SFM Standard 12-7A-1.
- 708A.3.1 Exterior Door Glazing  
 Glazing in exterior doors shall comply with Section 708A.2.1.

THRESHOLDS OF ALL EXTERIOR DOORS TO BE FLUSH WITH INTERIOR FINISHED FLOOR.

ALL EXTERIOR DOOR OPENINGS TO HAVE A COPPER DOOR PAN AND COPPER HEAD FLASHING.

DO NOT REMOVE NFRC LABELS FROM WINDOWS AND DOORS UNTIL FIELD VERIFICATION IS COMPLETE

Refer to T-24 for U-factor and other energy requirements.

	(1.16x5)	1.0	
	(1.5x8)	1.0	
	(2x8)	2.0	
	(2.67x8)	7.0	
	(3x8)	7.0	
	(3.91x8)	1.0	
	(5.33x8)	1.0	
	(7x8)	1.0	

### LUMBER TAKEOFF SERVICES

by Veracity Estimating

OFFICE: LAND CONSULTING SERVICES  
 500 Chestnut Street Ste. 100  
 Santa Cruz, Ca. 95060  
 john@swiftconsultingservice.com  
 831.459.9992 ext.103

ROCK SOLID ENGINEERING  
 1100 Main Street  
 Watsonville, Ca. 95076  
 831.724.5868

KEVIN SMITH LAND SURVEYING  
 111 Delview Ave  
 Santa Cruz, Ca. 95062  
 kevin.smith@landsurveying.com  
 831.588.0154

WAGGONER DESIGN  
 STRUCTURAL ENGINEERING  
 220 Celeste Way  
 Santa Cruz, Ca. 95065  
 831.423.2225  
 fletcher.waggoner@gmail.com

MYER ENGINEERING, INC.  
 ENVIRONMENTAL ENGINEERING  
 831.800.2244  
 paul@myerengineering.com

RI ENGINEERING INC  
 303 Potrero Street  
 Santa Cruz, Ca. 95060  
 831-425-3901  
 richard@riengineering.com  
 mark@riengineering.com

MONTEREY ENERGY GROUP  
 26465 Carmel Rancho Blvd. #8  
 Carmel Ca. 93923  
 831.372.8328  
 Chris Cummings  
 H:\Proj23\3247  
 montereyenergygroup.com

NORTH u.n.o.

Date: 7-29-2024 Issue:

### DOOR SCHEDULE

# A-12

ALL DRAWINGS AND WRITTEN MATERIAL APPEARING HERIN CONSTITUTE ORIGINAL AND UNPUBLISHED WORK OF THE DESIGNER AND MAY NOT BE DUBLICATED, USED, OR DISCLOSED WITHOUT WRITTEN CONSENT OF BRYAN MARTIN DESIGN BUILD.